

Mental health and wellbeing in the Lancashire sub-region

Part 2 – Investment and services: Appendix – staffing groups per 100,000 weighted population charts

May 2011

Intelligence for Healthy Lancashire (JSNA)




Contents

MENTAL HEALTH NURSES.....	3
Adult	3
Older adult.....	6
SOCIAL WORKERS.....	8
Adults.....	8
Older adults	10
PSYCHIATRISTS	13
Adult	13
Older adult.....	16
CLINICAL PSYCHOLOGISTS	19
Adult	19
Older adult.....	21
SUPPORT TIME RECOVERY WORKERS	23
Adult	24
Older adult.....	26
GRADUATE PRIMARY CARE WORKERS	29
Adult	29
Older adult.....	31
COMMUNITY DEVELOPMENT WORKERS	31
Adult	31
Older adult.....	33
OCCUPATIONAL THERAPISTS.....	34
Adult	34
Older adult.....	36
EMPLOYMENT OFFICERS	39
Adult	39
Older adult.....	41
CARER SUPPORT WORKERS.....	41
Adult	41
Older adult.....	43
DEVELOPMENT WORKERS	46
Adult	46
Older adult.....	48


Appendix: WTE staff per 100,000 weighted population charts

Mental health nurses


Adult




Blackburn with Darwen mental health nurses adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Central Lancashire mental health nurses adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)





East Lancashire mental health nurses adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




North Lancashire mental health nurses adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Older adult




Central Lancashire mental health nurses older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)



East Lancashire mental health nurses older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




North Lancashire mental health nurses older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Social workers

Adults


Blackburn with Darwen social workers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Blackpool social workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Central Lancashire social workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire social workers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




North Lancashire social workers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Older adults

Blackburn with Darwen is almost entirely residential social work staff employed at Brookside, Greenways and Linden House Residential Home.


Blackburn with Darwen social workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Blackpool social workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Central Lancashire social workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)



East Lancashire social workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




North Lancashire social workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Psychiatrists

Adult


Blackburn with Darwen psychiatrists adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Blackpool psychiatrists adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Central Lancashire psychiatrists adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)





East Lancashire psychiatrists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




North Lancashire psychiatrists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Older adult




Central Lancashire psychiatrists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire psychiatrists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)





**North Lancashire psychiatrists older adult WTE staffing per 100,000
weighted older adult population**
(Source, 2009 LIT Mental Health Strategies)




Clinical psychologists


Adult




Central Lancashire clinical psychologists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire clinical psychologists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




North Lancashire clinical psychologists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Older adult


Blackburn with Darwen clinical psychologists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)




Blackpool clinical psychologists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)




Central Lancashire clinical psychologists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire clinical psychologists older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)



North Lancashire clinical psychologists older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Support time recovery workers


Non professionally qualified support workers

Adult


Blackburn with Darwen support time recovery workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Blackpool support time recovery workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Central Lancashire support time recovery workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire support time recovery workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




North Lancashire support time recovery workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Older adult


Blackburn with Darwen support time recovery workers older adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Blackpool support time recovery workers older adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Central Lancashire support time recovery workers older adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)



East Lancashire support time recovery workers older adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)





North Lancashire support time recovery workers older adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Graduate primary care workers


Adult




Central Lancashire graduate workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire graduate workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)






Older adult


Older adult graduate primary workers were not employed routinely nationally across the LIT areas.

Community development workers


Adult




Blackpool community development workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Central Lancashire community development workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire community development workers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)



North Lancashire community development workers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)





Older adult


Older adult community development workers were not employed routinely nationally across the LIT areas.

Occupational therapists


Adult




Central Lancashire occupational therapists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire occupational therapists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




North Lancashire occupational therapists adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Older adult


Blackburn with Darwen occupational therapists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)




Blackpool occupational therapists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)




Central Lancashire occupational therapists older adult WTE staffing per 100,000 weighted older adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire occupational therapists older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)





North Lancashire occupational therapists older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Employment officers


Adult




Central Lancashire employment officers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire employment officers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



North Lancashire employment officers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Older adult

Older adult employment officers are not employed routinely nationally across the LIT areas.


Carer support workers

Adult


Blackburn with Darwen support care workers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)



Blackpool support care workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)




Central Lancashire support care workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



50 carer support workers are recorded for Mapleford nursing home, 15 at Oakfield House, 35 at Willowbank Nursing Home, 27 at the Acute Inpatient Unit at Burnley, 125 at Astra Care Services (home support services) and high numbers at other home and community support services.


East Lancashire support care workers adult WTE staffing per 100,000 weighted adult population
 (Source, 2009 LIT Mental Health Strategies)




Older adult

Older people carer support workers in Blackburn with Darwen – all are either partly or completely independently funded.


Blackburn with Darwen support care workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Blackpool support care workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Central Lancashire support care workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)



East Lancashire support care workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)





North Lancashire support care workers older adult WTE staffing per 100,000 weighted older adult population
 (Source, 2009 LIT Mental Health Strategies)




Development workers


Adult




Central Lancashire development workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



East Lancashire development workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



North Lancashire development workers adult WTE staffing per 100,000 weighted adult population
(Source, 2009 LIT Mental Health Strategies)



Older adult

Older adult development workers were not routinely employed across Lancashire.